
Motivation: perhaps the two most important concepts for a programmer to understand are control flow and state. One challenge when learning programming is that details about the particular language (in this case, Python) can distract from these two core concepts. In this worksheet, we'll explore control flow and state using pseudocode. Pseudocode is fake code. It's similar to real code, but a computer wouldn't know how to run it. The advantage of writing pseudocode is that it's easier for humans to think about.

Directions: for each problem, we'll have some state, represented by one or more boxes. Each box will have a value inside, and a name to the left. Each problem will also have some code. The code is just a numbered list of instructions written in English. Some instructions might tell you to change the value in a box. When that happens, cross out the previous value in the box, then write the new value there.



Code:

- 1. Put 1 in the "out" box
- 2. Multiply the value in the "out" box by the value in the "in" box
- 3. Multiply the value in the "out" box by the value in the "in" box
- 4. Multiply the value in the "out" box by the value in the "in" box

Questions:

- What was the final value in the "out" box?
- Mathematically speaking, what was this computation doing? raising the number in the in box to the power 3



Code:

- 1. Add 1 to the "X" box (the box should then look like: 10 11)
- 2. Add 2 to the "X" box
- 3. Double the value in the "X" box

Questions:

- What was the final value in the "X" box?
- Say your friend got a different answer, 24, because they don't like doing things in order. What's a good rule to make sure everybody computes the same?




- Code: append

 1. Add the value in "first" to the value in "msg"

 "" to the value in "msg"
 - 2. Add the value in "last" to the value in "msg"

Questions:

- How is "Add" here different than "Add" in example 1?
- What additional instructions would make msg more readable?



Code:

- ode: true

 1. If the value in "X" is negative, continue to step 2, otherwise skip to step 3
- 2. Multiply the value in "X" by -1, and put the result back in "X"
- 3. Copy the value in "X" to the "abs" box

Questions:

- What was "abs" at the end? What was "abs" at the end? abs would store 4 What if 4 had been in "X" instead at the beginning?
- What is the code trying to do? compute absolute value

State:

150 too old msq age

Code:

ode: false
1. If the value in "age" is less than 0, continue to step 2, otherwise skip to step 3

- 2. Put "too young" in the "msg" box3. If the value in "age" is more than 125, continue to step 4, otherwise skip step 4 and finish
- 4. Put "too old" in the "msg" box

Questions:

- What was msg at the end?
- What is the code trying to do? make different msg based on age

State:



Code:

- Put 1 in the "total" bex.
 If "N" equals 1, skip to step 6, otherwise continue to step 3
- 3. Multiply the value in "total" by the value in "N", and put the result back in "total" looping algorithm
- 4. Decrease the value in "N" by 1

loop

- 5. Go to step 2
- Copy the value in total to the answer box

Questions:

5

- What would have happened if N started at -1?
 What is the code moont to 2.2
- What is the code meant to do?compute the factorial of a num
- Finish listing the order in which you performed the steps in the code:

 $1, 2, 3, 4, 5, 2, 3, \dots^{4,5,2,3,4,5,2,6}$

State: moves:

result:

heart

Main Code:

- 1. Put 2 in the "moves" box
- 2. Perform the steps under "Move Code", then continue to step 3
- 3. Rotate the robot 90 degrees to the right (so arrow points to right)
- 4. Put 3 in the "moves" box
- 5. Perform the steps under "Move Code", then continue to step 6
- 6. Whatever symbol the robot is sitting on, write that symbol in the "resut" box

Move Code: false false true false false false true


A. If "moves" is 0, stop performing these steps in "Move Code", and go back to

- where you last were in "Main Code" to complete more steps
- B. Move the robot forward one square, in the direction the arrow is pointing
- C. Decrease the value in "moves" by one
- D. Go back to step A


Questions:

- What symbol did you write in the "result" box?
- Could you have written a different set of steps under the "Main Code" section that did not require you to ever perform the steps in the "Move yes but it would have repetitive code Code" section?
- How would you change "Main Code" if you didn't want to ever let the robot touch the lightning bolt?

there are many possible answers one would be to add an if statement another is to change Step 1 or Step 4







Code:

- 1. If there are no empty boxes next to "sorted", skip to step 4. otherwise continue to line 2
- 2. Find the smallest number in "items" that hasn't been crossed off (the first time you do this step, note that nothing will have been crossed off). Write that smallest number in the first empty box by "sorted" (first is the most left). Cross off that smallest number in "items" so that you don't use it again later
- 3. Go back to step 1
- 4. Find the number in the middle of sorted, and write it in the "output" box


Questions:

- What number is in "output"? What is the code trying to do? sort the numbers
- Is there any way to skip some of the steps and still get the same answer in output?

these steps have a lot of parts to them... you can't skip an entire step

State:

8



Code:

- 1. Find the number in "scores" next to the name that also appears in the "player1" box, then write that number in the "score1" box
- 2. Find the number in "scores" next to the name that also appears in the "player2" box, then write that number in the "score2" box
- 3. Put "tie" in "winner" box
- 4. If the value in "score1" is greater than the value in "score2", false continue to step 5, otherwise skip to step 6
- 5. Copy the value in the "player1" box to the "winner" box
- 6. If the value in "score2" is greater than the value in "score1", true continue to step 7. Otherwise, skip step 7 and just finish
- 7. Copy the value in "player2" to the "winner" box

Questions:

determine which of 2 players

- What does the winner box say? has the higher score
- What is the code trying to do?
- What would happen if the "player1" and "player2" boxes both initially said "cathy"?

winner box will store 'tie'